



**WALLUKS
PAINTS
PLASTERS
INSULATION &
STONES**

www.walluks.com.tr

EUROPEAN QUALITY TURKISH DESIGN

HOME

PLASTERS

PAINTS

WATER INSULATION

STONE CARPET

APPLICATION VIDEO

REFERENCES

CONTACT



PAINTS

PLASTERS

COVERING

INTERIOR & EXTERIOR

STONE CARPET

WATER INSULATION

PRODUCTS



SILKY PLASTER



CP PLASTER



MP PLASTER



EFFECT MARMARIT



INTERIOR PAINT



EXTERIOR PAINT

PRODUCTS



STONE CARPET



WATER INSULATION



EFFECT HALE &
STAR

SILKY PLASTER



WALLUKS DECORATIVE & INSULATION SILKY PLASTER

WALLUKS Decorative & Insulated silky (Liquid wallpaper) is a product consisting of only organic and healthy raw materials. Components: The fabric parts are composed of acrylic fiber, polypropylene yarns, foamed styrofoam and natural adhesives. WALLUKS 67/548 / EC, 1272/2008 / EC, according to European Commission Regulation and the laws of Turkey, it is not classified as hazardous. The reports and certificates of the Turkish Standards Institute have fire, safety and conformity certificates. It has small surface imperfections and cracks, moisture-retaining, no odor, sun-fade, additional heat and sound insulation. Walluks applied very easily on the plaster provides a 60-70% reduction in time and repair costs. WALLUKS can be applied to any surface, columns, walls, ceilings, arches.



Bültene bakınız
Refer to the manu



Yüzeyi temizleyiniz
Clean the surface



Su ile inceltiniz
Dilute with adding water



Karıştırın
Mix



Mala ile uygulayınız
It is applied with a trowel



Donmaktan koruyun
Protect from frost



5°-35° arası uygulayınız
5°-35° is applied



alev geciktirici
flame retardant



Sağlıklıdır
Healthy

SILKY PLASTER



SES YALITIMI SAĞLAR



TENEFÜS EDEBİLME



DA RBELERİ ABSORBE EDER



TAMİR EDİLEBİLİR



EKONOMİKTİR



ISI YALITIMI SAĞLAR



DEKORATİFTİR



YANMAYI YAVAŞLATIR



SU SPREYİ



ANTI-STATİKTİR



TERAPİ ÖZELLİĞİ VARDIR



ALERJEN DEĞİL



MEKANLARI GENİŞLETİR



KUSURLARI KAPATIR



Bültene bakınız
Refer to the manu



Yüzeyi temizleyiniz
Clean the surface



Su ile inceltiniz
Dilute with adding water



Karıştırın
Mix



Mala ile uygulayınız
It is applied with a trowel



Donmaktan koruyun
Protect from frost



5°-35° arası uygulayınız
5°-35° is applied



alev geciktirici
flame retardant



Sağlıklıdır
Healthy

SILKY PLASTER MODELS

CLASSIC



CLASSIC 11

KLASİK



CLASSIC 19



CLASSIC 01



CLASSIC 02



CLASSIC 03



CLASSIC 04



CLASSIC 05



CLASSIC 06



CLASSIC 07



CLASSIC 08



CLASSIC 09



CLASSIC 10



CLASSIC 11




CLASSIC 12



CLASSIC 14



CLASSIC 15



CLASSIC 16



CLASSIC 17



CLASSIC 18



CLASSIC 19



CLASSIC 20



CLASSIC 22



Bültene bakınız
Refer to the manu



Yüzeyi temizleyiniz
Clean the surface



Su ile inceltiniz
Dilute with adding water



Karıştırın
Mix



Mala ile uygulayınız
It is applied with a trowel



Donmaktan koruyun
Protect from frost



5°-35° arası uygulayınız
5°-35° is applied



alev geciktirici
flame retardant



Sağlıklıldır
Healthy

SILKY PLASTER MODELS

EFFECT



EFFECT 01

EFEKT



EFFECT 02



EFFECT 03



EFFECT 04



EFFECT 05



EFFECT 06



EFFECT 07



EFFECT 08



EFFECT 09



EFFECT 10



EFFECT 11



EFFECT 12



EFFECT 13



EFFECT 14



EFFECT 15



EFFECT 16



EFFECT 17



EFFECT 18




EFFECT 19



EFFECT 20

BUTTERFLY



KELEBEK 01

KELEBEK



KELEBEK 02



KELEBEK 03



KELEBEK 04



KELEBEK 05



KELEBEK 06



KELEBEK 07



KELEBEK 08



KELEBEK 09



KELEBEK 10



KELEBEK 11



KELEBEK 12




KELEBEK 13



KELEBEK 14



KELEBEK 15



KELEBEK 16

SILKY PLASTER MODELS

SILK



IPEK 02

İPEK



IPEK 08



IPEK 01



IPEK 03



IPEK 04



IPEK 06



IPEK 07



IPEK 09



IPEK 10



IPEK 12



IPEK 13



IPEK 14



IPEK 15



IPEK 21



IPEK 17



IPEK 19

BREEZE



BREEZE 05

ESİNTİ



BREEZE 02



BREEZE 01



BREEZE 03



BREEZE 06



BREEZE 07



BREEZE 09



BREEZE 12



BREEZE 13



BREEZE 14




BREEZE 18



BREEZE 15

SILKY PLASTER MODELS

ŞILA



ŞILA 01



ŞILA 14



ŞILA 02



ŞILA 03



ŞILA 04



ŞILA 05



ŞILA 06



ŞILA 07



ŞILA 08



ŞILA 09



ŞILA 10




ŞILA 11



ŞILA 12



ŞILA 13



ŞILA 15



ŞILA 16

DREAM



DREAM 01

RÜYA



DREAM 05



DREAM 02



DREAM 03



DREAM 04



DREAM 06



DREAM 07



DREAM 08



DREAM 09



DREAM 10



DREAM 11



DREAM 12



DREAM 13



DREAM 14



DREAM 15



DREAM 17



DREAM 18



DREAM 19



DREAM 20



DREAM 21



DREAM 22







DREAM 23

APPLIGATIONS



APPLICATIONS



DUVARLARINIZI



www.walluks.com.tr

CANLANDIRIN.

WALLUKS®
AWAKE YOUR WALLS



WALLUKS®
AWAKE YOUR WALLS



CP PLASTER




WALLUKS CP PLASTER

New, Light, Strong, Aesthetic
For Exterior and Interior Facades and Stairs
THE MOST IDEAL MATERIAL ...

Applicable on putty, Washable, No other materials required!
Ceramic based shell fractures and high strength acrylic resin material, chemical structure and resin quality depending on; has high physical properties such as high adherence, water resistance, resistance to all external influences, long life.

Granite marble has the main colors and granite marble appearance is obtained on the facade. It also covers cracks due to its shell structure. It is resistant to motion deformation with its flexible structure.



CP PLASTER



ISY YALITIMI SAĞLAR



ANTI-STATİKTİR



KUSURLARI KAPATIR



SES YALITIMI SAĞLAR



TENEFÜS EDEBİLME



DARBELERİ ABSORBE EDER



DEKORATİFTİR



YANMAYI YAVAŞLATIR



EKONOMİKTİR



TERAPİ ÖZELLİĞİ VARDIR



ALERJEN DEĞİL



MEKANLARI GENİŞLETİR



Bültene bakınız
Refer to the manu



Yüzeiy temizleyiniz
Clean the surface



Su ile inceltiniz
Dilute with adding water



Karıştırın
Mix



Mala ile uygulayınız
It is applied with a trowel



Donmaktan koruyun
Protect from frost



5°-35° arası uygulayınız
5°-35° is applied



alev geciktirici
flame retardant



Sağlıklıdır
Healthy

CP PLASTER



Bültene bakınız
Refer to the manu



Yüzeyi temizleyiniz
Clean the surface



Su ile inceltiniz
Dilute with adding water



Karıştırın
Mix



Mala ile uygulayınız
It is applied with a trowel



Donmaktan koruyun
Protect from frost



5°-35° arası uygulayınız
5°-35° is applied



alev geciktirici
flame retardant



Sağlıklıldır
Healthy

CP PLASTER MODELS



CP 01



CP 02



CP 03



CP 04



CP 05



CP 06



CP 07



CP 08



CP 09



CP 10



CP 11



CP 12




CP 13



CP 14




CP 15



CP 16



CP 17



CP 18



CP 19



CP 20

CP PLASTER MODELS



CP 21




CP 22




CP 23



CP 24




CP 25



CP 26




CP 27




CP 28



CP 29



CP 30



EFFECT COATING PAINTS



EFFECT DECORATIVE COATING PAINT HALE & STAR

Definition:

- Texture and glitter of metallic pigment and filler content in certain areas of Hale and Star silver, gold, copper and bronze pearl decorative coatings.

Application area:

- After the preparation of walls, plaster, concrete and wooden surfaces on the inner walls of the building, with suitable primers.

Features:

- Gives a shiny appearance with decorative texture and silky pearl coating.
- It does not harm human health and environment as it is water-based.




EFFECT COATING PAINTS




EFFECT COATING PAINTS



STAR COATING PAINTS COLOURS



HALE COATING PAINT COLOURS



MARMARITE COATING PAINTS

EFFECT DECORATIVE COATING PAINT MARMARIT



PRODUCT DESCRIPTION:

MARMARIT is an acrylic copolymer based water based wall paint. It is used on interior walls with marble pattern for decorative purposes.

TECHNICAL DATA

Structure: Acrylic copolymer

PH: 8-9

Density: 1,70


Consumption: 1,5 - 2 m² / kg

Thinner: Ready to use. It is applied without thinning.

Drying Time: Touch 15 - 20 min; Dust free 1 hour; Full drying 24 hours



MARMARITE COATING PAINT COLOURS



INTERIOR PAINTS COLOURS

6040 Buz Beyazı /Ice White*



6096 Mentol /Menthol



6073 Nil Yeşili /Nile Green*



1380 Hazan /Autumn*



6054 Limon Çiçeği /Lemon Flower*



6070 Fıstık /Peanut*



1414 Kekik /Thyme*



5050 Mine /Mevain



3939 Köpük Şeker /Foam Sugar*



3030 Toz Pembe /Chalk Pink*



3034 Pembegül /Pinkrose*



3364 Gül Kuruşu /Dusty Rose*

7404 Duru Mavi / Clear Blue



5057 Gökmavi /Sky Blue*



4014 Leylak /Lilac*




4002 Leylak Çiçeği /Lilac Flower*



4030 Meneşe /Violet

INTERIOR PAINTS COLOURS



8431 Melek Kanadı /Angel Wing*



1060 Bej /Beige*



1350 Kumsal /Beach



2454 Melita /Melita*



1055 Fildişi /Ivory



1179 Kum Beji /Sand Beige*



1051 Şampanya /Champagne



1108 Koyu Fildişi /Dark Ivory



1224 Vanilya /Vanilla



2050 Açık Somon /Light Salmon



8251 Kesekağıdı /Paperbag*




1541 Çakıl /Pebble



2500 Somon /Salmon*



8279 Keten /Linen



6273 Bambu /Bamboo



2027 Başak /Ear



2740 Ayçiçeği /Sunflower

CARPET STONE

WALLUKS STONE CARPET FLOORING



WALLUKS Stone carpet floor covering is a type of floor covering that has started to become popular in recent years. Although it seems to be preferred especially for outdoors, it is a coating used indoors as well. The most distinctive feature of it is a coating that will be used for multi-faceted projects, since it is produced in the desired form as well as being solid.

HOW TO MAKE STONE CARPET?

Unfortunately, there are too many wrong practices and systems in this regard in our country. That's why, as WALLUKS, we are pleased to offer you the STONE CARPET application with the most experienced and professional approach to our valued customers. Stone carpet flooring is a coating that can be applied both indoors and outdoors, as we mentioned above. For this reason, the application is made in 2 different systems.

For outdoor applications; There are 2 main products in stone carpet application.

Stone Binder Resin

Natural stone





NANO TECHNOLOGY

SU GEÇİRGEN ÇAKIL TAŞI ZEMİN KAPLAMASI
WATER PERMEABLE GRAVEL STONE FLOORING

CARPET STONEAPPLICATIONS



CARPET STONE MODELS




WATER STOP INSULATIONS



Acrylic Elastic Liquid
Membrane

E-BROCHURE



Bitum Membran

E-BROCHURE



A B Kompenant Acrylic
Liquid Membrane

E-BROCHURE

WATER STOP INSULATIONS



Su Geçirimsiz Ürün
Detayları

E-BROCHURE



Polyurethane Liquid
Membrane

E-BROCHURE



Polyurethane Transparent
Liquid Membrane

E-BROCHURE

REFERANCES



walluks 9



Sp İpeksi Siva - Sp ...



Seramik_Siva



Walluks - Silky Plast...



Sp_SIVA_İpeksi_Siva



WALLUKS STONE ...



walluks 16



walluks 6



WALLUKS STONE ...



walluks stone jpg

REFERANCES




silky_plaster_walluks



walluks 12



seramik siva



izolasyon



Mineral Siva - Mp P...




walluks 3



23silky plaster



Seramik Siva - Cp S...



Sp Plaster - Silky Pl...



İç Cephe Boyası

SOCIALS MEDIA


Instagram ▾

Q Ara



walluksturkiye

Profili düzenle



213 gönderi

1,204 takipçi

42 takip

Walluks Türkiye

Ürün/Hizmet

Walluks Türkiye Interior, Exterior Plasters Paints & insulation "Awake Your Walls"

Facebook @walluksturkiye

www.walluks.com.tr



walluksturk...



Cp siva



Cp plaster



Awake You...





Sp İpeksi siva





Silky plaster



Silinebilir





SOCIALS MEDIA

Decorative .. Economical .. Environment Friendly



WALLUKS®
AWAKE YOUR WALLS

www.walluks.  Kapak Fotoğrafını Düzenle





Walluks Türkiye

180 beğenme • 192 takipçi



 Tanıtımını Yap

 Yönet

 Düzenle

Gönderiler

Hakkında

Bahsetmeler

Takipçiler

Fotoğraflar

Videolar

Diğer ▾

...

SOCIALS MEDIA



Ana Sayfa

Keşfet

Shorts

Abonelikler

Kitaplık

Geçmiş

Videolarınız

Daha sonra izle

Beğendiğim videolar

NELİKLER

Güldür Güldür

Hayalhanem

WALLUKS TÜRKİYE

Selcoin



WALLUKS TÜRKİYE

49 abone

ANA SAYFA

VIDEOLAR

OYNATMA LİSTELERİ

KANALLAR

HAKKINDA



Yüklemeler

TÜMÜNÜ OYNAT



Walluks ile hayatınıza renk katın!



Walluks ile Duvarlarınızı Canlandırın..



WALLUKS DECORATIVE COATING PAINT SABBIA



WALLUKS DECORATIVE COATING PAINT PERLA



WALLUKS MP PLASTER
247 görüntüleme • 4 yıl önce

CONTACT

Asia



CONTACTS

HEAD OFFICE İSTANBUL

İkitelli Osb Mah. Atatürk Blv Deposite İş Merkezi A1. Blok 1.Kat No:1B22
Başakşehir - İSTANBUL / TÜRKİYE Tel: +90 850 220 27 00
Whatsapp +90533 384 63 62 walluks@walluks.com.tr
www.aferkoglobal.com.tr www.walluks.com.tr



South Amerik



AFERKO GLOBAL
"GLOBAL SOLUTION PARTNER"
Ahmet GÜLER
General Manager

İkitelli OSB Mah. Atatürk Blv.
Deposite İş Merkezi A1 Blok Kat: 1
No: 1B22 Başakşehir
İSTANBUL - TÜRKİYE
www.aferkoglobal.com.tr

+90 533 384 63 62
0 850 220 27 00
aguler@aferkoglobal.com.tr



WALLUKS®
AWAKE YOUR WALLS

Ahmet GÜLER
General Manager

İkitelli OSB Mah. Atatürk Blv.
Deposite İş Merkezi A1 Blok Kat: 1
No: 1B22 Başakşehir
İSTANBUL - TÜRKİYE
www.walluks.com.tr

+90 533 384 63 62
0 850 220 27 00
aguler@aferkoglobal.com.tr